AQUA-BLOK

FOR BROILER CHICKS TRAVELLING A SHORT DISTANCE UP TO 5 HOURS

Chick

Pullets

Broilers

Layers

Other Birds

Ducks

ON A BASE OF NUCLEOTIDES, CARBOHYDRATES & PREBIOTICS

AQUA-BLOK is a liquid Block, complementary feeding stuff. It contains Vitamins, Trace elements, Essential Fatty Acids, Essential Amino Acids, Electrolytes, Nucleotides, Prebiotics and Energy to hydrate hatchlings and animals during transportation and holdovers.

- Specially designed Nutrient gel block for rapid hydration of hatchlings, broiler chicks, layer chicks, turkey poults, ducklings, Ostrich chicks, caged birds and other birds and small animals in transit.
- ✓ Optimises a good start and supplies essential Nutrients, energy and water.
- ✓ Ideal for caged birds in transit
- Helps decrease mortality associated with transit of hatchlings for maximum returns
- ✓ Helps improve bird comfort and hence welfare during transport of birds and animals
- Easy to use and store
- ✓ Doesn't wet feathers
- ✓ Doesn't "spill" or melt up to 40°C
- ✓ At times of stress in hatchlings.
- ✓ Contains Nucleotides To support the immune system
- Contains Carbohydrates to fuel energy requirements
- ✓ Contains Prebiotics to stimulate the friendly Bacteria.
- ✓ Helps boost Immunity from day one.

APPLICATION

USAGE RATES:	Place 1 x 100g AQUA-BLOK for 100 chicks in each shipping or transit box/tray. One 100g AQUA-BLOK should be enough for 100 chicks travelling 2-3 hours. More AQUA-BLOK can be used as required. Feed at the rate of 0.5-1g per Hatchling.		
PRECAUTIONS:	Do not freeze. AQUA-BLOK is not a replacement for good management practice and care. Do not reuse unfinished AQUA-BLOK . Do not keep AQUA-BLOK open for more than 48 hours. Keep out of reach of Children. Store in the original container ideally between 5°C and 25°C.		
STORAGE:	Store at ambient temperature below 25°C and out of direct sunlight in	original container.	
SHELF LIFE:	18 months from date of manufacture.		
PACK SIZE:	50g/100g/1Kg/2.5Kg/5Kg units.	Composition per 1kg Vitamins Trace elements	



Composit	tion per 1kg	
	Trace elements	
5,000iu	lodine:	5mg
750iu	Selenium:	1.25m
100mg	Cobalt:	5mg
12.5mg	Copper (*MAAC):	20mg
5mg	Manganese (*MAAC):	10mg
6.25mg	Zinc (*MAAC):	30mg
53mcg		
3.5mg	Electrolytes	
12.5mcg	Sodium Salt:	98mg
10mg	Potassium Salt:	824m
14mg	Magnesium Salt:	4.6mg
6.25mg	Citric Acid	125m
6.25mg		
	Other Ingredients	
	Essential Fatty Acids:	5mg
10mg	Nucleotides:	50mg
15mg		
10mg	On a base of carbohydrates, prebiotics and Water	
	*MAAC Metal Amino Acid C	helat
	5,000iu 750iu 100mg 53mg 6.25mg 53mcg 3.5mg 12.5mcg 10mg 14mg 6.25mg 6.25mg 6.25mg 6.25mg	5,000iu Iodine: 750iu Selenium: 100mg Cobalt: 12.5mg Copper ('MAAC): 5mg Manganese ('MAAC): 6.25mg Zinc ('MAAC): 53mcg 3.5mg Electrolytes 12.5mcg Sodium Salt: 10mg Potassium Salt: 14mg Magnesium Salt: 14mg Citric Acid 6.25mg Citric Acid 6.25mg Other Ingredients Essential Fatty Acids: 10mg Un a base of carbohydrates, 15mg

Anillo vial Kilometro 12, Cartagena Laguna Club Bloque 3 Acacia Apto 2D, Cartagena, Bolivar, Colombia Tel: 57-5-6450319

Cel 57-3015580885 www.grupobenatto.com www.vetaniacolombia.com



